

## EPITAXIAL GROWTH METHOD FOR ATOMIC LAYER OF III-V COMPOUND SEMICONDUCTOR

## EPITAXIAL GROWTH METHOD FOR ATOMIC LAYER OF III-V COMPOUND SEMICONDUCTOR

Patent Number: JP63222421  
Publication date: 1988-09-16  
Inventor(s): USUI AKIRA  
Applicant(s): NEC CORP  
Requested Patent: ☐ JP63222421  
Application Number: JP19870055173 19870312  
Priority Number(s):  
IPC Classification: H01L21/205  
EC Classification:  
EC Classification:  
Equivalents: JP1891053C, JP6020047B

### Abstract

**PURPOSE:** To make it possible to grow high quality regular mixed crystals and a super lattice structure, by supplying the chloride of a group III element, forming an absorbing layer, and repeating a process for supplying a group VI element on a substrate crystal for a specified time.

**CONSTITUTION:** A substrate crystal 11 is put in a reaction chamber 9. The temperature in the chamber is increased to a growth temperature in a PH<sub>3</sub> stream. When the growth temperature is reached, HCl and PH<sub>3</sub> are supplied into a reaction chamber 3. After a specified time, the crystal 11 is moved into the reaction chamber 3. After an InP buffer layer is grown by about 1  $\mu$ m, the crystal 11 is returned into the reaction chamber 9 again. The supply of PH<sub>3</sub> into the reaction chamber 3 is stopped, and an atmosphere including only InCl is made to remain. Then the crystal 11 is moved and exposed to the InCl. After the InCl is absorbed, the crystal 11 is returned into the reaction chamber 9. The crystal 11 is moved into the reaction chamber 3. This cycle is repeated by 10 times. Thus the high quality regular mixed crystals and a super lattice structure can be grown.